

View Online at <https://aerobasegroup.com/nsn/5935-00-935-2303>

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

Straight shape, external coupling

Overall Length:

8.875 inches

Overall Diameter:

3.375 inches

Environmental Protection:

Moisture resistant

Distance From Mounting Shoulder To Front Face:

6.375 inches

Mounting Facility Thickness:

5.063 inches

Threaded Device Type:

Back shell

Mating End Quantity:

1

Contact Position Arrangement Style:

22-24 single mating end

Contact Removability:

Nonremovable single mating end single contact grouping

Contact Maximum Dc Voltage Rating In Volts:

1000.0 single mating end single contact grouping

Polarization Method:

Contact

Shell Type:

Solid

Connector Cable Strain Relief Method:

Compression nut

Thread Length:

1.000 inches

Thready Qty Per Inch (tpi):

12

Thread Size:

2.375 inches

Terminal Location:

Back single mating end single contact grouping

Contact Material:

Steel single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Insert Material:

Plastic phenolic single mating end

Terminal Type:

Solder well single mating end single contact grouping

Shell Material:

Copper alloy

Shell Surface Treatment:

Passivate

Shell Material Specification:

Qq-n-286, class a federal specification single material response

Included Contact Quantity:

24 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Thread Series Designator:

Un

Specification Or Standard:

3 type

Departure From Cited Designator:

As modified by spcc requirements for subsafe items

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A039b0