NSN 5935-00-936-3606

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-936-3606

Body Style:

Straight shape duplex

Overall Height:

Between 1.208 inches and 1.228 inches

Overall Width:

Between 1.490 inches and 1.510 inches

Body Length:

Between 2.740 inches and 2.760 inches

Environmental Protection:

Vibration resistant and shock resistant and salt water resistant

Unthreaded Mounting Hole Diameter:

0.156 inches

Distance Between Mounting Facility Centers:

Between 3.271 inches and 3.291 inches

Mating End Quantity:

2

Contact Position Arrangement Style:

3 all mating ends

Contact Removability:

Nonremovable all mating ends single contact grouping

Contact Maximum Current Rating In Amps:

15.0 all mating ends single contact grouping

Contact Maximum Ac Voltage Rating In Volts:

125.0 all mating ends single contact grouping

Contact Maximum Dc Voltage Rating In Volts:

125.0 all mating ends single contact grouping

Polarization Method:

Contact

Connector Locking Method:

Shell twistlock

Terminal Location:

Back all mating ends single contact grouping

Contact Material:

Copper alloy all mating ends single contact grouping

Insert Material:

Plastic phenolic all mating ends

Terminal Type:

Screw all mating ends single contact grouping

Insert Material Specification:

Mil-m-14, type cfg military specification single material response all mating ends

Included Contact Quantity:

3 2nd mating end single contact grouping

NSN 5935-00-936-3606

Electrical Receptacle Connector - Page 2 of 2



Color:
Brown
Shelf Life:
N/a
Unit Of Measure:
 Demilitarization:
Demilitarization:
Demilitarization: No

Mil-std (military Standard):

Mil-m-14 spec.