## NSN 5935-00-939-3947

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-939-3947

**Body Style:** 

Straight shape, internal coupling w/strain relief

**Body Length:** 

Between 1.625 inches and 2.140 inches

**Overall Diameter:** 

1.266 inches

**Environmental Protection:** 

Pressure proof and moisture resistant and vibration resistant

**Cable Entrance Diameter:** 

0.437 inches

**Mating End Quantity:** 

4

**Contact Position Arrangement Style:** 

24 number 20 single mating end

**Contact Removability:** 

Removable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

7.5 single mating end single contact grouping

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

84.0 and 152.0 and 204.0 and 334.0

Shell Type:

Solid

**Connector Locking Method:** 

Bayonet latch

**Connector Cable Strain Relief Method:** 

Cable clamp

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Rhodium single mating end single contact grouping

**Terminal Type:** 

Crimp single mating end single contact grouping

**Shell Material:** 

Aluminum alloy 6061

**Shell Surface Treatment:** 

Anodize

**Shell Material Specification:** 

Qq-a-325, gr t6 federal specification single material response

## NSN 5935-00-939-3947

Fiig: A039b0

Electrical Plug Connector - Page 2 of 2



Included Contact Quantity:
24 single mating end single contact grouping
Included Contact Type:
Round pin single mating end single contact grouping
Precious Material And Location:
Contact surfaces rhodium
Precious Material And Weight:
0.024 rhodium grains, troy
Precious Material:
Rhodium
Test Data Document:
81349-mil-c-26500 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-26500 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No