NSN 5935-00-940-7428

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-940-7428

Body Style:
Straight shape
Overall Length:
2.729 inches
Overall Height:
0.663 inches
Overall Width:
0.494 inches
Unthreaded Mounting Hole Diameter:
Between 0.086 inches and 0.089 inches
Distance Between Mounting Facility Centers:
2.500 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
21 single mating end
Contact Removability:
Nonremovable single mating end 1st contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end 1st contact grouping
Polarization Method:
Mating end
Mating end Shell Type:
-
Shell Type:
Shell Type: Solid
Shell Type: Solid Connector Locking Method:
Shell Type: Solid Connector Locking Method: Friction
Shell Type: Solid Connector Locking Method: Friction Terminal Location:
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material:
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material: Copper alloy single mating end 1st contact grouping
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material: Copper alloy single mating end 1st contact grouping Contact Surface Treatment:
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material: Copper alloy single mating end 1st contact grouping Contact Surface Treatment: Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material: Copper alloy single mating end 1st contact grouping Contact Surface Treatment: Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping Insert Material:
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material: Copper alloy single mating end 1st contact grouping Contact Surface Treatment: Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping Insert Material: Plastic diallyl phthalate single mating end
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material: Copper alloy single mating end 1st contact grouping Contact Surface Treatment: Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type:
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material: Copper alloy single mating end 1st contact grouping Contact Surface Treatment: Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Solder well single mating end 1st contact grouping
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material: Copper alloy single mating end 1st contact grouping Contact Surface Treatment: Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Solder well single mating end 1st contact grouping Shell Material:
Shell Type: Solid Connector Locking Method: Friction Terminal Location: Back single mating end 1st contact grouping Contact Material: Copper alloy single mating end 1st contact grouping Contact Surface Treatment: Gold single mating end 1st contact grouping and nickel single mating end 1st contact grouping Insert Material: Plastic diallyl phthalate single mating end Terminal Type: Solder well single mating end 1st contact grouping Shell Material: Steel

mocre material opcomoduon

Mil-m-14, ty gdi-30f or ty sd6-f military specification single material response single mating end

NSN 5935-00-940-7428

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity: 17 single mating end 1st contact grouping **Included Contact Type:** Round socket single mating end 1st contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.017 gold grains, troy **Precious Material:** Gold Shelf Life: N/a **Unit Of Measure: Demilitarization:** No Fiig:

A039b0

Mil-m-14 spec.

Mil-std (military Standard):