NSN 5935-00-941-8990

Body Style:

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-941-8990

| Pcb, snap-in w/shield base |
|----------------------------------------------------|
| Fabrication Method: |
| Molded |
| Overall Height: |
| 0.859 inches |
| Body Diameter: |
| 0.800 inches |
| Overall Diameter: |
| Between 0.890 inches and 0.910 inches |
| Contact Resistance In Ohms: |
| 0.030 |
| Specific Equipment Accommodated: |
| Electron tube |
| Contact Maximum Current Rating In Amps: |
| 1.0 |
| Contact Material: |
| Phosphor bronze |
| Contact Surface Treatment: |
| Silver |
| Accommodated Contact Quantity: |
| 7 |
| Printed Circuit Board Hole Arrangement Style: |
| Nine hole |
| Component Shield Mounting Method: |
| Bayonet |
| Polarization Type: |
| Contact position |
| Projection Length Below Mounting Surface: |
| 0.234 inches |
| Mounting Method: |
| Terminal |
| Mounting Type For Which Designed: |
| Chassis |
| Contact Position Arrangement Style: |
| Miniature |
| Ground Terminal Type And Quantity: |
| 1 tab, solder lug |
| Contact Maximum Voltage In Volts And Current Type: |
| 500.0 ac and 500.0 dc |
| Precious Material And Location: |

Contact surfaces silver

NSN 5935-00-941-8990

Plug-in Electronic Components Socket - Page 2 of 2



| Precious Material And Weight: |
|-------------------------------|
| 0.007 silver grains, troy |
| Precious Material: |
| Silver |
| Terminal Type And Quantity: |
| 7 tab, solder lug |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A02300