

View Online at https://aerobasegroup.com/nsn/5935-00-944-3607

Thread Class:	
2b	
Thread Direction:	
Right-hand	
Body Style:	
Straight shape, rectangular	
Overall Length:	
Between 1.150 inches and 1.210 inches	
Overall Height:	
Between 2.380 inches and 2.400 inches	
Overall Width:	
Between 2.865 inches and 2.885 inches	
Environmental Protection:	
Thermal shock resistant Unthreaded Mounting Hole Diameter:	
0.149 inches	
	Uniaht.
<b>Center To Center Distance Between Mounting Facilities Parallel To</b> Between 1.840 inches and 1.860 inches	neight.
	alır Mialth.
Distance Between Centerlines Of Mounting Facilities Parallel To Bo	ay width:
Between 2.490 inches and 2.510 inches	
Threaded Device Type:	
Coupling facility	
Mating End Quantity:	
1 Contact Desition Assessment Style:	
Contact Position Arrangement Style:	
212 single mating end	
Polarization Method:	
Polarization boss	
Connector Locking Method:	
Post jacksocket	
Operating Tempurature Rating:	
Between -54.0 degrees celsius and 125.0 degrees celsius	
Thready Qty Per Inch (tpi):	
28	
Thread Size:	
0.250 inches	
Insert Material:	
Plastic diallyl phthalate glass filled single mating end	
Insert Material Specification:	
Mil-m-14, ty sdg-f military specification single material response single m	ating end
Thread Series Designator:	
Unf	

Electrical Receptacle Connector Body - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

## Mil-std (military Standard):

Mil-m-14 spec.