Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-945-7193

#### **Body Style:**

Straight shape, external coupling strain relief

## **Overall Height:**

Between 1.109 inches and 1.141 inches

#### **Overall Width:**

Between 1.109 inches and 1.141 inches

#### Body Length:

1.775 inches

#### **Unthreaded Mounting Hole Diameter:**

Between 0.115 inches and 0.125 inches

## Center To Center Distance Between Mounting Facilities Parallel To Height:

0.906 inches

## Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.906 inches

Cable Entrance Diameter:

Between 0.365 inches and 0.385 inches

## Distance From Mounting Shoulder To Front Face:

Between 0.431 inches and 0.441 inches

## Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

14-12 single mating end

### **Contact Removability:**

Nonremovable single mating end all contact groupings

# **Contact Maximum Current Rating In Amps:**

7.5 single mating end 2nd contact grouping

# Contact Maximum Ac Voltage Rating In Volts:

500.0 single mating end all contact groupings

# Contact Maximum Dc Voltage Rating In Volts:

700.0 single mating end all contact groupings

#### **Polarization Method:**

Keyway or multiple keyway

# **Insert Position In Deg:**

0.0

## Shell Type:

Solid

#### Connector Locking Method:

Bayonet pin

## **Connector Cable Strain Relief Method:**

Cable clamp

#### **Terminal Location:**

Back single mating end all contact groupings



**Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings and silver single mating end all contact groupings **Insert Material:** Rubber single mating end **Terminal Type:** Solder well single mating end all contact groupings Shell Material: Aluminum alloy **Shell Surface Treatment:** Cadmium and chromate **Included Contact Quantity:** 8 single mating end 2nd contact grouping **Bushing Accommodation Hole Shape:** Round **Included Contact Type:** Round socket single mating end all contact groupings **Precious Material And Location:** Contact surfaces gold and contact surfaces silver **Precious Material And Weight:** 0.012 gold grains, troy and 0.012 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0