## NSN 5935-00-946-4325

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-946-4325

**Body Style:** Straight shape threaded **Overall Length:** 0.828 inches **Overall Diameter:** 0.750 inches **Environmental Protection:** Moisture proof and salt water resistant and vibration resistant **Distance From Mounting Shoulder To Front Face:** Between 0.411 inches and 0.442 inches **Mounting Facility Thickness:** 0.031 inches **Mating End Quantity: Contact Position Arrangement Style:** 6-oct single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 600.0 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Bayonet pin **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Metal ferrous single mating end single contact grouping **Contact Surface Treatment:** Tin single mating end single contact grouping **Contact Surface Treatment Specification:** Mil-t-10727 military specification single treatment response single mating end single contact grouping **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Metal ferrous **Shell Surface Treatment:** 

Tin

## NSN 5935-00-946-4325

Electrical Receptacle Connector - Page 2 of 2



Shell Sur	face Treati	ment Spe	cification:
-----------	-------------	----------	-------------

Mil-t-10727, type 1 military specification single treatment response

**Included Contact Quantity:** 

6 single mating end single contact grouping

**Bushing Accommodation Hole Shape:** 

Round

**Included Contact Type:** 

Round pin single mating end single contact grouping

**Special Features:** 

Solder mounting and hermetically sealed

## **Test Data Document:**

81349-mil-c-26482 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

96906-ms3113 government standard

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-t-10727 spec.