NSN 5935-00-948-2713

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-948-2713

Body Style: Straight shape **Overall Length:** 2.295 inches **Overall Height:** 0.564 inches **Overall Width:** 0.614 inches **Environmental Protection:** Corrosion resistant and moisture resistant **Unthreaded Mounting Hole Diameter:** Between 0.115 inches and 0.125 inches **Distance Between Mounting Facility Centers:** 1.993 inches **Mating End Quantity: Contact Position Arrangement Style:** 20-25 single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 5.0 single mating end single contact grouping **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping and silver single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Solder well single mating end single contact grouping **Insert Material Specification:** Mil-m-14, type sdg military specification single material response single mating end **Included Contact Quantity:**

25 single mating end single contact grouping

Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.025 gold grains, troy and 0.0025 silver grains, troy

NSN 5935-00-948-2713

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold and silver
Shelf Life:
N/a
Unit Of Measure:
Damilitaria di anc
Demilitarization:
No

Mil-std (military Standard):

Mil-m-14 spec.