

NSN 5935-00-948-5852 Connector Adapter - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5935-00-948-5852 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape w/flange **Overall Length:** Between 2.089 inches and 2.140 inches **Overall Height:** Between 1.969 inches and 2.031 inches **Overall Width:** Between 1.969 inches and 2.031 inches **Environmental Protection:** Salt water resistant **Unthreaded Mounting Hole Diameter:** 

Between 0.142 inches and 0.152 inches

Center To Center Distance Between Mounting Facilities Parallel To Height:

Between 1.557 inches and 1.567 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.557 inches and 1.567 inches

**Distance From Mounting Shoulder To Front Face:** 

Between 0.800 inches and 0.985 inches

**Threaded Device Type:** 

Coupling facility

**Mating End Quantity:** 

2

**Contact Position Arrangement Style:** 

28-21 all mating ends

**Contact Removability:** 

Nonremovable all mating ends all contact groupings

**Contact Maximum Current Rating In Amps:** 

22.0 all mating ends all contact groupings

**Contact Maximum Ac Voltage Rating In Volts:** 

500.0 all mating ends all contact groupings

**Contact Maximum Dc Voltage Rating In Volts:** 

700.0 all mating ends all contact groupings

**Polarization Method:** 

Keyway or multiple keyway

**Insert Position In Deg:** 

0.0

Shell Type:

Solid

## NSN 5935-00-948-5852

Connector Adapter - Page 2 of 2



Connector Locking Method:
Externally threaded shell
Thread Length:
0.625 inches
Thready Qty Per Inch (tpi):
18
Thread Size:
1.750 inches
Contact Material:
Copper alloy all mating ends all contact groupings
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Anodize
Included Contact Quantity:
74 all mating ends all contact groupings
Included Contact Type:
Round socket 2nd mating end all contact groupings
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.074 gold grains, troy and 0.074 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Uns
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0