Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-951-6666

#### **Body Style:**

Straight shape, internal coupling

#### **Overall Length:**

1.000 inches

# **Overall Diameter:**

0.500 inches

# **Environmental Protection:**

Salt water resistant

#### Cable Entrance Diameter:

0.219 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

Bnc single mating end

### Contact Removability:

Nonremovable single mating end single contact grouping

#### Polarization Method:

Contact

Shell Type:

Solid

#### Connector Locking Method:

Bayonet latch

#### Connector Cable Strain Relief Method:

Compression nut

#### Radio Frequency Type Contact Characteristic Impedance In Ohms:

50.0 single mating end single contact grouping

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Material:**

Copper alloy single mating end single contact grouping

#### **Contact Surface Treatment:**

Gold single mating end single contact grouping and silver single mating end single contact grouping

#### **Insert Material:**

Plastic tetrafluoroethylene single mating end

#### **Terminal Type:**

Solder well single mating end single contact grouping

#### Shell Material:

Copper alloy

# Shell Surface Treatment:

Silver

#### **Included Contact Quantity:**

1 single mating end single contact grouping

# NSN 5935-00-951-6666

Electrical Plug Connector - Page 2 of 2



Included Contact Type: Coaxial pin single mating end single contact grouping **Precious Material And Location:** Contact surface gold and contact and shell surfaces silver **Precious Material And Weight:** 0.005 gold grains, troy and 0.105 silver grains, troy **Precious Material:** Gold and silver Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0