# NSN 5935-00-951-8986

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/psn/5035-00-051-8086

View Online at https://aerobasegroup.com/nsn/5935-00-951-8986
Body Style:
Straight shape
Overall Length:
Between 1.198 inches and 1.228 inches
Overall Height:
Between 0.479 inches and 0.509 inches
Overall Width:
0.494 inches
Environmental Protection:
Vibration resistant
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
0.984 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
9 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and copper single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Steel

**Shell Surface Treatment:** 

Cadmium and chromate

# NSN 5935-00-951-8986

Electrical Receptacle Connector - Page 2 of 2



#### **Insert Material Specification:**

Mil-m-14, ty gdi-30f or sdg-f military specification single material response single mating end

## **Included Contact Quantity:**

9 single mating end single contact grouping

## **Included Contact Type:**

Round socket single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold

**Precious Material And Weight:** 

0.009 gold grains, troy

**Precious Material:** 

Gold

Fsc Application Data (non-core):

Connectors, electrical

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.