## NSN 5935-00-954-2154

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-954-2154 **Thread Class:** 2b **Thread Direction:** Right-hand **Body Style:** Straight shape, press fit **Overall Length:** 0.717 inches **Overall Diameter:** 0.350 inches **Environmental Protection:** Vibration resistant and shock resistant and humidity resistant and fungus resistant and sand resistant and dust resistant and corrosion resistant **Threaded Device Type:** Mounting hole **Mating End Quantity:** 1 **Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 2.0 single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Friction **Operating Tempurature Rating:** Between -62.0 degrees celsius and 85.0 degrees celsius Thready Qty Per Inch (tpi): 40 **Thread Size:** 0.112 inches **Terminal Location:** Side single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Nickel single mating end single contact grouping

**Insert Material:** 

Plastic single mating end

**Contact Surface Treatment Specification:** 

Qq-n-290, class i, type 6 federal specification single treatment response single mating end single contact grouping

## NSN 5935-00-954-2154

A039b0

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Tab, solder lug single mating end single contact grouping
Contact Material Specification:
Qq-b-626 federal specification single material response single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Nickel
Shell Surface Treatment Specification:
Qq-n-290, class i, type 6 federal specification single treatment response
Shell Material Specification:
Qq-b-626 federal specification single material response
Included Contact Quantity:
1 single mating end single contact grouping
Included Contact Type:
Coaxial pin single mating end single contact grouping
Thread Series Designator:
Unc
Specification Data:
98230-0n008461 manufacturers specification control
Shelf Life:
N/a
Unit Of Measure:
<b></b>
Demilitarization:
No
Fiig: