

View Online at <https://aerobasegroup.com/nsn/5935-00-958-0434>

**Body Material:**

Plastic

**Thread Class:**

2b

**Thread Direction:**

Right-hand

**Body Style:**

Top mount

**Fabrication Method:**

Molded

**Overall Length:**

Between 1.330 inches and 1.350 inches

**Overall Height:**

0.520 inches

**Overall Width:**

0.400 inches

**Mounting Hole Diameter:**

0.138 inches

**Body Mounting Hole Accommodation Length:**

Between 0.745 inches and 0.755 inches

**Body Mounting Hole Accommodation Width:**

0.400 inches

**Distance Between Mounting Facility Centers:**

Between 1.052 inches and 1.072 inches

**Mounting Hole Style:**

Rectangular, w/two mounting holes/slots

**Specific Equipment Accommodated:**

Relay

**Contact Maximum Current Rating In Amps:**

5.0

**Contact Material:**

Copper alloy

**Contact Surface Treatment:**

Gold and silver

**Accommodated Contact Quantity:**

8

**Projection Length Above Mounting Surface:**

Between 0.350 inches and 0.370 inches

**Mounting Method:**

Threaded hole

**Mounting Type For Which Designed:**

Chassis

**Thready Qty Per Inch (tpi):**

40

**Thread Size:**

0.112 inches

**Contact Position Arrangement Style:**

Dual in line

**Contact Maximum Voltage In Volts And Current Type:**

3600.0 ac and 3600.0 dc

**Precious Material And Location:**

Contact surfaces gold and contact surfaces silver

**Precious Material And Weight:**

0.008 gold grains, troy and 0.008 silver grains, troy

**Precious Material:**

Gold and silver

**Thread Series Designator:**

Unc

**Terminal Type And Quantity:**

8 solder well

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A02300