## NSN 5935-00-958-0490

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-958-0490

**Body Style:** 

Straight edge type w/mounting flange

**Overall Length:** 

5.405 inches

**Overall Height:** 

0.437 inches

**Overall Width:** 

0.438 inches

**Unthreaded Mounting Hole Diameter:** 

0.136 inches

**Distance Between Mounting Facility Centers:** 

5.095 inches

**Board Accommodated Length:** 

4.781 inches single board

**Mating End Quantity:** 

1

**Contact Position Arrangement Style:** 

2 rows of independent contacts inserted board single mating end

**Contact Removability:** 

Nonremovable single mating end single contact grouping

**Contact Maximum Current Rating In Amps:** 

5.0 single mating end single contact grouping

**Contact Maximum Ac Voltage Rating In Volts:** 

1800.0 single mating end single contact grouping

**Terminal Location:** 

Back single mating end single contact grouping

**Contact Material:** 

Copper alloy single mating end single contact grouping

**Contact Surface Treatment:** 

Gold single mating end single contact grouping and silver single mating end single contact grouping

**Insert Material:** 

Plastic single mating end

**Terminal Type:** 

Tab, solder lug single mating end single contact grouping

**Insert Material Specification:** 

Mil-m-19833, type gdi-30 military specification single material response single mating end

**Included Contact Quantity:** 

56 single mating end single contact grouping

**Included Contact Type:** 

Spring pincers single mating end single contact grouping

**Precious Material And Location:** 

Contact surfaces gold and contact surfaces silver

## NSN 5935-00-958-0490

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:		
0.056 gold grains,	troy and 0.056 silver grains, troy	
Precious Material:		
Gold and silver		
Shelf Life:		
N/a		
Unit Of Measure:		
Demilitarization:		
No		
Fiig:		
A039b0		

Mil-std (military Standard):

Mil-m-19833 spec.