

View Online at https://aerobasegroup.com/nsn/5935-00-959-7896

Body Material:
Plastic
Fabrication Method:
Molded
Mounting Hole Diameter:
0.125 inches
Body Mounting Hole Accommodation Length:
0.755 inches
Body Mounting Hole Accommodation Width:
0.406 inches
Distance Between Mounting Facility Centers:
1.062 inches
Mounting Hole Style:
Rectangular, w/two mounting holes/slots
Specific Equipment Accommodated:
Relay
Contact Material:
Copper alloy
Contact Surface Treatment:
Silver
Accommodated Contact Quantity:
8
Mounting Method:
Saddle
Mounting Type For Which Designed:
Mounting Type For Which Designed: Chassis
Mounting Type For Which Designed: Chassis Contact Position Arrangement Style:
Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Dual in line
Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Dual in line Precious Material And Location:
Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Dual in line Precious Material And Location: Contact surfaces silver
Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Dual in line Precious Material And Location: Contact surfaces silver Precious Material And Weight:
Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Dual in line Precious Material And Location: Contact surfaces silver Precious Material And Weight: 0.008 silver grains, troy
Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Dual in line Precious Material And Location: Contact surfaces silver Precious Material And Weight: 0.008 silver grains, troy Precious Material:
Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Dual in line Precious Material And Location: Contact surfaces silver Precious Material And Weight: 0.008 silver grains, troy Precious Material: Silver
Mounting Type For Which Designed: Chassis Contact Position Arrangement Style: Dual in line Precious Material And Location: Contact surfaces silver Precious Material And Weight: 0.008 silver grains, troy Precious Material: Silver
Mounting Type For Which Designed:ChassisContact Position Arrangement Style:Dual in linePrecious Material And Location:Contact surfaces silverPrecious Material And Weight:0.008 silver grains, troyPrecious Material:SilverSilverSelverSelver stud
Mounting Type For Which Designed:ChassisContact Position Arrangement Style:Dual in linePrecious Material And Location:Contact surfaces silverPrecious Material And Weight:0.008 silver grains, troyPrecious Material:SilverCorrinal Type And Quantity:8 solder studShelf Life:
Mounting Type For Which Designed:ChassisContact Position Arrangement Style:Dual in linePrecious Material And Location:Contact surfaces silverPrecious Material And Weight:0.008 silver grains, troyPrecious Material:SilverSilverSelder studShelf Life:N/a
Mounting Type For Which Designed:ChassisContact Position Arrangement Style:Dual in linePrecious Material And Location:Contact surfaces silverPrecious Material And Weight:0.008 silver grains, troyPrecious Material:SilverCorrinal Type And Quantity:8 solder studShelf Life:
Mounting Type For Which Designed:ChassisContact Position Arrangement Style:Dual in linePrecious Material And Location:Contact surfaces silverPrecious Material And Weight:0.008 silver grains, troyPrecious Material:SilverTerminal Type And Quantity:8 solder studShelf Life:N/aUnit Of Measure:
Mounting Type For Which Designed:ChassisContact Position Arrangement Style:Dual in linePrecious Material And Location:Contact surfaces silverPrecious Material And Weight:0.008 silver grains, troyPrecious Material:SilverSilverSelder studShelf Life:N/a

NSN 5935-00-959-7896

Plug-in Electronic Components Socket - Page 2 of 2

Fiig: A02300

