NSN 5935-00-967-9337

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-967-9337 **Body Material:** Plastic **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Top mount w/studs **Fabrication Method:** Molded **Overall Length:** 1.266 inches **Tempurature Rating:** -45.0 degrees fahrenheit and 145.0 degrees fahrenheit **Overall Height:** 0.688 inches **Overall Width:** 0.391 inches **Mounting Hole Diameter:** 0.125 inches **Body Mounting Hole Accommodation Length:** 0.781 inches **Body Mounting Hole Accommodation Width:** 0.406 inches **Mounting Hole Style:** Rectangular, w/two mounting holes/slots **Specific Equipment Accommodated: Contact Maximum Current Rating In Amps:** 5.0 **Contact Material:** Phosphor bronze **Contact Surface Treatment:** Gold and silver **Accommodated Contact Quantity:** Center To Center Distance Between Outside Mounting Holes Along Length: 1.000 inches **Center To Center Distance Between Outside Mounting Holes Along Width:** 0.125 inches

Dalasisatias T

Polarization Type:

Contact position

NSN 5935-00-967-9337

Plug-in Electronic Components Socket - Page 2 of 2



Projection Length Below Mounting Surface:
0.250 inches
Mounting Method:
Threaded stud
Mounting Type For Which Designed:
Chassis
Thready Qty Per Inch (tpi):
40
Thread Size:
0.125 inches
Contact Position Arrangement Style:
Symmetrical
Precious Material And Location:
Contact surface gold and contact surface silver
Precious Material And Weight:
0.008 gold grains, troy and 0.008 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Unc
Terminal Type And Quantity:
8 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A02300