NSN 5935-00-969-3251

Electrical Receptacle Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-00-969-3251



Thread Class: 2a **Thread Direction:** Right-hand **Body Style:** Round flange mount, external coupling **Overall Length:** 3.067 inches **Bushing Diameter:** 3.250 inches **Mounting Hole Circle Radius:** 5.750 inches **Overall Diameter:** Between 6.984 inches and 7.016 inches **Unthreaded Mounting Hole Diameter:** 0.688 inches **Distance From Mounting Shoulder To Rear Face:** 1.375 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Removability:** Removable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 80.0 single mating end 1st contact grouping **Polarization Method:** Mating end Shell Type: Solid **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 12 **Thread Size:** 3.500 inches **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:**

Silver single mating end all contact groupings

NSN 5935-00-969-3251

Electrical Receptacle Connector - Page 2 of 2



Insert Material:
Rubber single mating end
Terminal Type:
Crimp single mating end all contact groupings
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Cadmium and chromate
Included Contact Quantity:
3 single mating end 1st contact grouping
Included Contact Type:
Round pin single mating end all contact groupings
Precious Material And Location:
Contact surfaces silver
Precious Material And Weight:
0.027 silver grains, troy
Precious Material:
Silver
Thread Series Designator:
Un
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0