

View Online at <https://aerobasegroup.com/nsn/5935-00-969-9337>

Body Material:

Plastic

Thread Class:

2a

Thread Direction:

Right-hand

Body Style:

Bottom mount w/metal saddle

Fabrication Method:

Molded

Overall Length:

1.795 inches

Tempurature Rating:

-65.0 degrees celsius and 125.0 degrees celsius

Overall Height:

2.218 inches

Overall Width:

1.077 inches

Mounting Hole Diameter:

Between 0.133 inches and 0.143 inches

Body Mounting Hole Accommodation Diameter:

0.983 inches

Distance Between Mounting Facility Centers:

Between 1.396 inches and 1.416 inches

Mounting Hole Style:

Round, w/two mounting holes

Specific Equipment Accommodated:

Socket relay

Contact Maximum Current Rating In Amps:

7.5

Contact Material:

Phosphor bronze

Contact Surface Treatment:

Gold and silver

Accommodated Contact Quantity:

20

Missing Contact Designation:

10th contact position

Polarization Type:

Contact position

Projection Length Above Mounting Surface:

1.700 inches

Mounting Method:

Threaded stud

Mounting Type For Which Designed:

Chassis

Thready Qty Per Inch (tpi):

32

Thread Size:

0.138 inches

Contact Maximum Voltage In Volts And Current Type:

1500.0 ac and 1500.0 dc

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.020 gold grains, troy and 0.020 silver grains, troy

Precious Material:

Gold and silver

Thread Series Designator:

Unc

Furnished Items And Quantity:

2 nut and 2 screw and 2 spacer

Terminal Type And Quantity:

20 turret

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A02300