Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-975-4441

## **Body Style:**

Straight shape, rectangular

#### **Overall Length:**

1.313 inches

# **Overall Height:**

Between 1.668 inches and 1.708 inches

## **Overall Width:**

3.375 inches

#### **Environmental Protection:**

Chemical resistant and shock proof

#### **Unthreaded Mounting Hole Diameter:**

#### 0.188 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Height:

#### 1.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

#### 2.875 inches

Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

28 single mating end

## **Contact Removability:**

Nonremovable single mating end single contact grouping

#### **Contact Maximum Current Rating In Amps:**

10.0 single mating end single contact grouping

#### **Polarization Method:**

Mating end

#### Shell Type:

Solid

#### **Terminal Location:**

Back single mating end single contact grouping

#### **Contact Surface Treatment:**

Gold single mating end single contact grouping

#### **Insert Material:**

Rubber single mating end

#### **Contact Surface Treatment Specification:**

Mil-g-45204, type 2, class 2 military specification single treatment response single mating end single contact grouping

#### **Terminal Type:**

Solder well single mating end single contact grouping

# Shell Material:

Aluminum

# Included Contact Quantity:

28 single mating end single contact grouping



Included Contact Type:

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

**Precious Material And Weight:** 

0.028 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.