

View Online at <https://aerobasegroup.com/nsn/5935-00-975-9595>

Body Style:

Straight shape

Overall Length:

0.843 inches

Overall Height:

0.400 inches

Overall Width:

0.300 inches

Environmental Protection:

Moisture resistant and salt water resistant and vibration resistant

Distance Between Mounting Facility Centers:

0.593 inches

Mating End Quantity:

1

Contact Position Arrangement Style:

5 single mating end

Polarization Method:

Mating end

Shell Type:

Solid

End Application:

Ticonderoga class cg (47); forrestal class cv; nimitz class cvn; kidd class ddg; spruance class dd (963); radar set, lightweight 3d (an/tps-59); radar set lt air traffic control (17m jul83) (an/tps-63); virgina class cg (41); interrogator set (a0681) (an/upx-27)

Insert Material:

Plastic diallyl phthalate single mating end

Criticality Code Justification:

Feat

Shell Material:

Aluminum alloy

Shell Surface Treatment:

Cadmium

Shell Surface Treatment Specification:

Qq-p-416, type 2, class 1 federal specification single treatment response

Shell Material Specification:

Qq-a-250/8 federal specification single material response

Insert Material Specification:

Mil-m-14, type sgd-f military specification single material response single mating end

Special Features:

Weapon system essential

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.025 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.