NSN 5935-00-979-5854

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-979-5854 **Body Material:** Plastic **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Top mount w/studs **Fabrication Method:** Molded **Overall Length:** 1.350 inches **Tempurature Rating:** -67.0 degrees fahrenheit and 350.0 degrees fahrenheit **Overall Height:** 0.560 inches **Overall Width:** 0.360 inches **Mounting Hole Diameter:** 0.125 inches **Body Mounting Hole Accommodation Length:** 0.755 inches **Body Mounting Hole Accommodation Width:** 0.360 inches **Distance Between Mounting Facility Centers:** 1.062 inches **Mounting Hole Style:** Rectangular, w/two mounting holes/slots **Specific Equipment Accommodated:** Relay **Contact Maximum Current Rating In Amps: Contact Material:** Phosphor bronze **Contact Surface Treatment:** Gold and silver **Accommodated Contact Quantity:** 8 **Polarization Type:** Off center hole **Projection Length Below Mounting Surface:**

0.273 inches

NSN 5935-00-979-5854

Plug-in Electronic Components Socket - Page 2 of 2



Mounting Method:
Threaded stud
Mounting Type For Which Designed:
Chassis
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Contact Position Arrangement Style:
Symmetrical
Contact Maximum Voltage In Volts And Current Type:
600.0 ac and 600.0 dc
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
0.008 gold grains, troy and 0.008 silver grains, troy
Precious Material:
Gold and silver
Thread Series Designator:
Unc
Terminal Type And Quantity:
8 solder well
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A02300