NSN 5935-00-982-0298

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-982-0298

Body Style:
Straight shape
Overall Length:
3.695 inches
Overall Height:
0.676 inches
Overall Width:
0.340 inches
Unthreaded Mounting Hole Diameter:
0.128 inches
Distance Between Mounting Facility Centers:
3.406 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
1 row of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Contact to contact polarizing keys
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Tab, solder lug single mating end single contact grouping
Insert Material Specification:
Mil-m-14, type mdg military specification single material response single mating end
Included Contact Quantity:

18 single mating end single contact grouping Included Contact Type:

Flat pin single mating end single contact grouping

Special Features:

Polarized at contact position u

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

NSN 5935-00-982-0298

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:
0.018 gold grains, troy and 0.018 silver grains, troy
Precious Material:
Gold and silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0

Mil-std (military Standard):

Mil-m-14 spec.