## NSN 5935-00-985-4120

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-985-4120

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Right angle type
Overall Length:
2.500 inches
Distance Between Mounting Facility Centers:
2.100 inches
Threaded Device Type:
Mounting stud
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
7.5 single mating end single contact grouping
Polarization Method:
Contact
Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Terminal Location:
Side single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Wire loop single mating end single contact grouping
Included Contact Quantity:
15 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:

recious material And Location.

Contact surfaces gold and contact surfaces silver

## NSN 5935-00-985-4120

Electrical Receptacle Connector - Page 2 of 2



Precious Material And Weight:	
0.015 gold grains, troy and 0.015 silver grains, tr	оу
Precious Material:	
Gold and silver	
Thread Series Designator:	
Unc	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	

Fiig: A039b0