NSN 5935-00-986-7414

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-986-7414 **Body Material:** Plastic **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Top mount w/studs **Fabrication Method:** Molded **Overall Length:** 1.250 inches **Overall Height:** 0.610 inches **Overall Width:** 0.318 inches **Mounting Hole Diameter:** 0.112 inches **Mounting Hole Style:** Two mounting holes/slots, diagonal **Specific Equipment Accommodated:** Relay **Contact Maximum Current Rating In Amps:** 3.0 **Contact Material:** Phosphor bronze **Contact Surface Treatment:** Gold and silver **Accommodated Contact Quantity:** Center To Center Distance Between Outside Mounting Holes Along Length: 1.000 inches **Center To Center Distance Between Outside Mounting Holes Along Width:** 0.125 inches **Polarization Type:** Contact position **Projection Length Below Mounting Surface:** 0.189 inches **Mounting Method:** Threaded stud

Chassis

Mounting Type For Which Designed:

NSN 5935-00-986-7414

Plug-in Electronic Components Socket - Page 2 of 2



Thready Qty Per Inch (tpi):
40
Thread Size:
0.112 inches
Contact Position Arrangement Style:
Symmetrical
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
$0.008 \ \text{gold grains}, \ \text{troy} \ \text{and} \ 0.008 \ \text{silver grains}, \ \text{troy}$
Precious Material:
Gold and silver
Thread Series Designator:
Unc
Terminal Type And Quantity:
8 solder well
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A02300