## NSN 5935-00-988-5515

Electrical Receptacle Connector - Page 1 of 2



· · · · · · · · · · · · · · · · · · ·	
View Online at https://aerobasegroup.com/nsn/5935-00-988-5515	
Thread Class:	
2a	
Thread Direction:	
Right-hand	
Body Style:	
Straight shape, external coupling	
Overall Length:	
0.800 inches	
Overall Diameter:	
0.560 inches	
Environmental Protection:	
Weatherproof	
Distance From Mounting Shoulder To Front Face:	
0.580 inches	
Mounting Facility Thickness:	
0.120 inches	
Threaded Device Type:	
Mounting bushing	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
Tps single mating end	
Contact Removability:	
Nonremovable single mating end single contact grouping	
Contact Maximum Dc Voltage Rating In Volts:	
500.0 single mating end single contact grouping	
Shell Type:	
Solid	
Connector Locking Method:	
Bayonet pin	
Radio Frequency Type Contact Characteristic Impedance In Ohms:	
50.0 single mating end single contact grouping	
Thready Qty Per Inch (tpi):	
28	
Thread Size:	
0.438 inches	
Terminal Location:	
Back single mating end single contact grouping	
Insert Material:	
Plastic single mating end	
Terminal Type:	

reminar Type

Solder well single mating end single contact grouping

## NSN 5935-00-988-5515

Electrical Receptacle Connector - Page 2 of 2



Shell Material:
Copper alloy
Included Contact Quantity:
1 single mating end single contact grouping
<b>Bushing Accommodation Hole Shape:</b>
Round
Included Contact Type:
Coaxial socket single mating end single contact grouping
Thread Series Designator:
Unef
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0