## NSN 5935-00-989-6005

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-989-6005

**Body Style:** Right angle type **Overall Length:** 2.125 inches **Overall Height:** 0.281 inches **Overall Width:** 0.406 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches **Distance Between Mounting Facility Centers:** 1.906 inches **Mating End Quantity: Contact Position Arrangement Style:** 2 rows of contacts non-inserted board single mating end **Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 1600.0 single mating end single contact grouping **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic diallyl phthalate single mating end **Terminal Type:** Tab, solder lug single mating end single contact grouping **Insert Material Specification:** Mil-m-14, ty gdi-30 military specification single material response single mating end **Included Contact Quantity:** 13 single mating end single contact grouping **Included Contact Type:** Spring pincers single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold

Contact canadod gold

**Precious Material And Weight:** 

0.013 gold grains, troy

## NSN 5935-00-989-6005

Electrical Receptacle Connector - Page 2 of 2



Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Demilitarization:
No

Mil-std (military Standard):

Mil-m-14 spec.