NSN 5935-00-990-6955

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-990-6955 **Thread Class:** 2a and 2a **Thread Direction:** Right-hand and right-hand **Body Style:** Straight shape, external coupling w/backshell **Overall Length:** 0.900 inches **Overall Diameter:** 0.530 inches **Environmental Protection:** Shock proof and vibration resistant and salt water resistant **Distance From Mounting Shoulder To Front Face:** 0.350 inches **Threaded Device Type:** Coupling facility and mounting bushing **Mating End Quantity:** 1 **Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Friction Thready Qty Per Inch (tpi): 32 and 32 **Thread Size:** 0.438 inches and 0.438 inches **Terminal Location:** Back single mating end single contact grouping **Insert Material:** Plastic polyamide single mating end **Terminal Type:** Screw single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:** Cadmium

Shell Surface Treatment Specification:

Qq-p-416, type 2 federal specification single treatment response

NSN 5935-00-990-6955

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quan	tity:
-----------------------	-------

1 single mating end single contact grouping

Bushing Accommodation Hole Shape:

Round

Included Contact Type:

Round socket single mating end single contact grouping

Thread Series Designator:

Un and un

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0