NSN 5935-00-990-7545

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-990-7545

Body Style:
Straight shape
Overall Length:
1.500 inches
Overall Height:
0.355 inches
Overall Width:
0.380 inches
Unthreaded Mounting Hole Diameter:
0.091 inches
Distance Between Mounting Facility Centers:
1.281 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
44 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
1800.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Solder well single mating end single contact grouping
Insert Material Specification:
Mil-m-19833, typegdi-30 military specification single material response single mating end
Unable To Decode:
Unable to decode and unable to decode
Included Contact Quantity:

meradea contact quantity

44 single mating end single contact grouping

NSN 5935-00-990-7545

Electrical Receptacle Connector - Page 2 of 2



Inc	luded	Co	ntact	T	ype
_					

Round socket single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold

Precious Material And Weight:

0.044 gold grains, troy

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-19833 spec.