## NSN 5935-00-992-4800

Electrical Plug Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-992-4800 **Body Style:** Straight shape, internal coupling w/backshell Overall Length: 1.203 inches **Overall Diameter:** 1.559 inches **Environmental Protection:** Pressure proof and heat resistant and moisture resistant and vibration resistant and watertight **Mating End Quantity: Contact Position Arrangement Style:** 3719p single mating end **Contact Removability:** Removable single mating end all contact groupings **Contact Maximum Current Rating In Amps:** 7.5 single mating end 1st contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 0.0 Shell Type: Solid **Connector Locking Method:** Ball Radio Frequency Type Contact Characteristic Impedance In Ohms: 95.0 single mating end 2nd contact grouping **Terminal Location:** Back single mating end all contact groupings **Contact Material:** Copper alloy single mating end all contact groupings **Contact Surface Treatment:** Gold single mating end all contact groupings and silver single mating end all contact groupings **Insert Material:** Plastic silicone single mating end **Terminal Type:** Crimp single mating end all contact groupings **Shell Material:** Aluminum alloy **Shell Surface Treatment:** 

Cadmium

**Included Contact Quantity:** 

6 single mating end 2nd contact grouping

## NSN 5935-00-992-4800

Electrical Plug Connector - Page 2 of 2



Draai	aua N	// ntori	ial And	d Location:
rieci	ous n	nateri	ıaı Aliu	a Localion.

Contact surface gold and contact surface silver

**Precious Material And Weight:** 

0.043 gold grains, troy and 0.043 silver grains, troy

**Precious Material:** 

Gold and silver

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A039b0