NSN 5935-00-992-5059

Plug-in Electronic Components Socket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-992-5059 **Body Material:** Plastic **Body Style:** Top mount **Fabrication Method:** Molded **Overall Length:** 1.438 inches **Tempurature Rating:** -65.0 degrees celsius and 125.0 degrees celsius **Overall Width:** 0.400 inches **Mounting Hole Diameter:** 0.125 inches **Body Mounting Hole Accommodation Length:** 1.000 inches **Body Mounting Hole Accommodation Width:** 0.609 inches **Mounting Hole Style:** Rectangular, w/four mounting holes/slots **Specific Equipment Accommodated:** Relay **Contact Maximum Current Rating In Amps:** 3.0 **Contact Material:** Phosphor bronze **Contact Surface Treatment:** Gold and silver **Accommodated Contact Quantity:** 15 Center To Center Distance Between Outside Mounting Holes Along Length: 0.406 inches **Center To Center Distance Between Outside Mounting Holes Along Width:** 1.200 inches **Polarization Type:** Contact position **Projection Length Above Mounting Surface:** 0.281 inches **Mounting Method:** Unthreaded hole

Chassis

Mounting Type For Which Designed:

NSN 5935-00-992-5059

Plug-in Electronic Components Socket - Page 2 of 2



Precious	Material And	Location:
riecious	IVIALEITAI ATTU	LUCALIUII.

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.015 gold grains, troy and 0.015 silver grains, troy

Precious Material:

Gold and silver

Test Data Document:

38957-ps843800000f001 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

15 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A02300