## NSN 5935-00-994-7214

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-994-7214 **Thread Direction:** Right-hand **Overall Length:** 2.500 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 1.938 inches **Overall Height:** 1.359 inches **Overall Width:** 2.500 inches **Environmental Protection:** Watertight **Unthreaded Mounting Hole Diameter:** 0.209 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.938 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Maximum Current Rating In Amps:** 23.0 single mating end 1st contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 500.0 single mating end all contact groupings **Contact Maximum Dc Voltage Rating In Volts:** 700.0 single mating end all contact groupings **Connector Locking Method:** Externally threaded shell Thready Qty Per Inch (tpi): 10 **Thread Size:** 2.250 inches **Insert Material:** Rubber single mating end **Shell Material:** Aluminum alloy **Shell Surface Treatment:** Anodize

**Included Contact Quantity:** 

7 single mating end 1st contact grouping

**Included Contact Type:** 

Round pin single mating end all contact groupings

## NSN 5935-00-994-7214

Electrical Receptacle Connector - Page 2 of 2



Thread Series Designator:
Double stub
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A039b0