NSN 5935-00-996-1685

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-00-996-1685 **Body Style:** Straight shape, external coupling **Overall Length:** 1.109 inches **Overall Height:** 1.438 inches **Overall Width:** 1.438 inches **Environmental Protection:** Thermal shock resistant and moisture resistant and humidity resistant **Unthreaded Mounting Hole Diameter:** 0.120 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 1.187 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.187 inches **Distance From Mounting Shoulder To Front Face:** 0.531 inches **Mating End Quantity: Contact Position Arrangement Style:** 37p single mating end **Contact Removability:** Removable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 7.5 single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 335.0 Shell Type: **Connector Locking Method:** Spring friction **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping

Contact Surface Treatment:

Gold single mating end single contact grouping

Insert Material:

Rubber single mating end

NSN 5935-00-996-1685

Electrical Receptacle Connector - Page 2 of 2



Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Aluminum alloy
Shell Surface Treatment:
Anodize
Included Contact Quantity:
37 single mating end single contact grouping
Included Contact Type:
Round socket single mating end single contact grouping
Precious Material And Location:
Contact surfaces gold
Precious Material And Weight:
0.037 gold grains, troy
Precious Material:
Gold
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A039b0