NSN 5935-01-003-6000

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-003-6000 **Thread Class:** 2a **Thread Direction:** Right-hand **Body Style:** Straight shape threaded **Overall Length:** 0.813 inches **Overall Diameter:** 0.500 inches **Environmental Protection:** Pressure proof **Distance From Mounting Shoulder To Front Face:** Between 0.340 inches and 0.380 inches **Mounting Facility Thickness:** 0.125 inches **Threaded Device Type:** Coupling facility **Mating End Quantity: Contact Removability:** Nonremovable single mating end single contact grouping **Polarization Method:** Keyway or multiple keyway **Insert Position In Deg:** 120.0 Shell Type: Solid **Connector Locking Method:** Bayonet shell **Thread Size:** 0.312 inches **Terminal Location:** Back single mating end single contact grouping **Terminal Type:** Solder well single mating end single contact grouping **Shell Material:** Copper alloy **Shell Surface Treatment:**

Nickel

Shell Surface Treatment Specification:

Qq-n-290, class 2 federal specification single treatment response

NSN 5935-01-003-6000

Electrical Receptacle Connector - Page 2 of 2



Shell Material Specification:

Qq-b-626, comp 22, 1/2 h federal specification single material response

Included Contact Quantity:

1 single mating end single contact grouping

Bushing Accommodation Hole Shape:

Round keyed

Included Contact Type:

Coaxial pin single mating end single contact grouping

Thread Series Designator:

Unef

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A039b0