Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-005-0026

Thread Class:
2g
Thread Pitch Diameters:
+0.113/+0.125 inches
Thread Direction:
Right-hand
Body Style:
Straight shape, external coupling w/backshell
Overall Length:
2.703 inches
Overall Height:
Between 1.719 inches and 1.750 inches
Overall Width:
Between 1.719 inches and 1.750 inches
Unthreaded Mounting Hole Diameter:
Between 0.166 inches and 0.176 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
Between 1.370 inches and 1.380 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
Between 1.370 inches and 1.380 inches
Distance From Mounting Shoulder To Front Face:
Between 1.000 inches and 1.010 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
36a86 single mating end
Contact Removability:
Removable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
41.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
500.0 single mating end single contact grouping
Contact Maximum Dc Voltage Rating In Volts:
700.0 single mating end single contact grouping
Polarization Method:
Key, multiple key groove
Insert Position In Deg:
84.0
Shell Type:
Solid



Connector Locking Method: Externally threaded shell Thready Qty Per Inch (tpi): 4 **Thread Size:** 1.500 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Rubber single mating end **Terminal Type:** Crimp single mating end single contact grouping Shell Material: Aluminum alloy **Shell Surface Treatment:** Anodize **Included Contact Quantity:** 7 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Special Features:** Contact designation 12-311 **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.035 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Acme Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A039b0