Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-005-0035

Thread Class:	
26	
Thread Direction:	
Right-hand	
Body Style:	
Straight shape, external coupling	
Overall Length:	
2.703 inches	
Overall Height:	
Between 2.750 inches and 2.781 inches	
Overall Width:	
Between 2.750 inches and 2.781 inches	
Unthreaded Mounting Hole Diameter:	
Between 0.311 inches and 0.321 inches	
Center To Center Distance Between Mounting Facilities Parallel To Height:	
Between 2.088 inches and 2.098 inches	
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:	
Between 2.088 inches and 2.098 inches	
Distance From Mounting Shoulder To Front Face:	
Between 1.000 inches and 1.010 inches	
Threaded Device Type:	
Coupling facility	
Mating End Quantity:	
1	
Contact Position Arrangement Style:	
20-313 single mating end	
Contact Removability:	
Removable single mating end single contact grouping	
Contact Maximum Current Rating In Amps:	
22.0 single mating end single contact grouping	
Contact Maximum Ac Voltage Rating In Volts:	
500.0 single mating end single contact grouping	
Contact Maximum Dc Voltage Rating In Volts:	
700.0 single mating end single contact grouping	
Polarization Method:	
Key, multiple key groove	
Insert Position In Deg:	
0.0	
Shell Type:	
Solid	
Connector Locking Method:	
Externally threaded shell	



**Thread Length:** 0.900 inches Thready Qty Per Inch (tpi): 8 **Thread Size:** 2.500 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Rubber single mating end **Terminal Type:** Crimp single mating end single contact grouping Shell Material: Aluminum alloy **Shell Surface Treatment:** Anodize **Included Contact Quantity:** 68 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.068 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Acme Shelf Life: N/a Unit Of Measure: --**Demilitarization:** No Fiig: A039b0