Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-008-2435

# Body Style:

Angle shape, external coupling

## **Overall Length:**

0.723 inches

# **Overall Diameter:**

0.312 inches

## **Mounting Facility Thickness:**

0.125 inches

## Threaded Device Type:

Coupling facility and mounting bushing

## Mating End Quantity:

1

# Contact Maximum Ac Voltage Rating In Volts:

1000.0 single mating end single contact grouping

## Shell Type:

Solid

## **Connector Locking Method:**

Internally threaded shell

## **Connector Cable Strain Relief Method:**

Bushing

# Contact Surface Treatment:

Gold single mating end single contact grouping

## **Contact Surface Treatment Specification:**

Mil-g-45204, type 1, cl 2 military specification single treatment response single mating end single contact grouping

## **Terminal Type:**

Solder well single mating end single contact grouping

## Shell Material:

Stainless steel

## **Included Contact Quantity:**

1 single mating end single contact grouping

## **Bushing Accommodation Hole Shape:**

Round w/flat

## **Included Contact Type:**

Coaxial pin single mating end single contact grouping

## **Precious Material And Location:**

Contact surface gold

## **Precious Material:**

Gold

## Shelf Life:

N/a

## Unit Of Measure:

--

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.