

View Online at https://aerobasegroup.com/nsn/5935-01-011-9245

# **Body Style:**

Straight edge type

# **Overall Length:**

3.590 inches

# **Overall Height:**

0.745 inches

## **Overall Width:**

0.400 inches

#### **Environmental Protection:**

Humidity resistant and salt water resistant and shock resistant and thermal shock resistant and vibration resistant

# **Unthreaded Mounting Hole Diameter:**

0.130 inches

#### **Distance Between Mounting Facility Centers:**

3.330 inches

#### **Board Accommodated Length:**

# 2.964 inches single board

# **Board Accommodated Width:**

0.062 inches

# Mating End Quantity:

1

# **Contact Position Arrangement Style:**

29 single mating end

#### **Polarization Method:**

Contact to contact polarizing keys

#### Shell Type:

Solid

#### **Connector Locking Method:**

Bayonet pin

# **Operating Tempurature Rating:**

Between -65.0 degrees celsius and 125.0 degrees celsius

#### **Insert Material:**

Plastic diallyl phthalate single mating end

#### Shell Material:

Plastic diallyl phthalate

# Shell Material Specification:

Mil-m-14, ty sdg-f military specification single material response

## **Test Data Document:**

81349-mil-c-21097 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

#### **Specification Data:**

81349-mil-c-21097/13 government specification

# Shelf Life:

N/a

Electrical Receptacle Connector Body - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.