NSN 5935-01-012-6837

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-012-6837 **Thread Class:** 2a **Thread Direction:** Right-hand **Environmental Protection:** Corrosion resistant and heat resistant and cold resistant and thermal shock resistant and vibration resistant **Threaded Device Type:** Hub **Mating End Quantity:** Thready Qty Per Inch (tpi): 24 **Thread Size:** 0.375 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic melamine single mating end **Contact Surface Treatment Specification:** Mil-g-45204, type ii, class 1 military specification single treatment response single mating end single contact grouping **Terminal Type:** Solder well single mating end single contact grouping **Contact Material Specification:** Qq-b-750.Composition a federal specification single material response single mating end single contact grouping **Insert Material Specification:** Mil-m-14, type mme military specification single material response single mating end **Included Contact Quantity:** 4 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Precious Material And Location:** Contacts gold **Precious Material:** Gold **Thread Series Designator:** Unf

N/a

Shelf Life:

NSN 5935-01-012-6837

Electrical Receptacle Connector - Page 2 of 2



Demilitarization:	

Unit Of Measure:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-g-45204 spec.