Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-013-7176

view Online at https://defobdsegfoup.com/nsh/0505-01-010-7170
Thread Class:
2b
Thread Direction:
Right-hand
Body Style:
Straight shape
Overall Length:
4.000 inches
Overall Width:
0.294 inches
Unthreaded Mounting Hole Diameter:
0.086 inches
Distance Between Mounting Facility Centers:
3.850 inches
Threaded Device Type:
Mounting hole
Mating End Quantity:
1
Contact Position Arrangement Style:
2 rows of contacts non-inserted board single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Guide pin/socket
Thread Size:
0.086 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Nickel single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Tab, solder lug single mating end single contact grouping
Contact Material Specification:
Qq-b-750 comp a federal specification single material response single mating end single contact grouping
Insert Material Specification:
Mil-m-14, type sdg-f military specification single material response single mating end

NSN 5935-01-013-7176

Electrical Receptacle Connector - Page 2 of 2



Included Contact Quantity: 72 single mating end single contact grouping Included Contact Type: Round pin single mating end single contact grouping **Thread Series Designator:** Unc Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A039b0 Mil-std (military Standard): Mil-m-14 spec.