

View Online at <https://aerobasegroup.com/nsn/5935-01-014-7827>

**Thread Class:**

2b

**Thread Direction:**

Right-hand

**Body Style:**

Straight shape

**Overall Length:**

1.326 inches

**Overall Height:**

Between 4.303 inches and 4.333 inches

**Overall Width:**

Between 1.985 inches and 2.015 inches

**Environmental Protection:**

Vibration resistant and fungus proof and shock proof

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

Between 4.021 inches and 4.031 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 0.713 inches and 0.723 inches

**Distance From Mounting Shoulder To Front Face:**

Between 0.050 inches and 0.070 inches

**Threaded Device Type:**

Mounting hole

**Mating End Quantity:**

3

**Contact Position Arrangement Style:**

8 2nd mating end

**Contact Removability:**

Removable all mating ends all contact groupings

**Contact Maximum Ac Voltage Rating In Volts:**

1100.0 3rd mating end all contact groupings

**Polarization Method:**

2 polarization posts

**Shell Type:**

Solid

**Thread Size:**

0.112 inches

**Terminal Location:**

Back all mating ends all contact groupings

**Contact Material:**

Copper alloy all mating ends all contact groupings

**Contact Surface Treatment:**

Gold all mating ends all contact groupings and copper all mating ends all contact groupings

**Insert Material:**

Plastic diallyl phthalate all mating ends

**Terminal Type:**

Crimp all mating ends all contact groupings

**Contact Material Specification:**

Qq-c-533 federal specification single material response all mating ends all contact groupings

**Shell Material:**

Aluminum alloy a380.0

**Shell Surface Treatment:**

Cadmium and chromate

**Shell Material Specification:**

Qq-a-591, alloy a380 federal specification single material response

**Insert Material Specification:**

Mil-m-14, ty sgd-f military specification single material response all mating ends

**Special Features:**

All polarization posts polarized at position 68

**Precious Material And Location:**

Contact surfaces gold

**Precious Material And Weight:**

0.114 gold grains, troy

**Precious Material:**

Gold

**Thread Series Designator:**

Unc

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A039b0

**Mil-std (military Standard):**

Mil-m-14 spec.