Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-015-3046

#### **Body Style:**

Straight shape

#### **Overall Length:**

2.650 inches

# **Overall Height:**

0.550 inches

# **Overall Width:**

0.359 inches

#### **Environmental Protection:**

Corrosion resistant and humidity resistant and thermal shock resistant and vibration resistant

#### **Unthreaded Mounting Hole Diameter:**

0.120 inches

#### Mating End Quantity:

1

#### **Contact Position Arrangement Style:**

2 rows of contacts non-inserted board single mating end

#### **Contact Removability:**

Nonremovable single mating end single contact grouping

## **Contact Maximum Current Rating In Amps:**

5.0 single mating end single contact grouping

# Contact Maximum Ac Voltage Rating In Volts:

1000.0 single mating end single contact grouping

# Polarization Method:

Guide pin/socket

#### **Terminal Location:**

Side single mating end single contact grouping

#### **Contact Surface Treatment:**

Gold single mating end single contact grouping

#### Insert Material:

Plastic diallyl phthalate single mating end

#### **Contact Surface Treatment Specification:**

Mil-g-45204, type 2, class 1 military specification single treatment response single mating end single contact grouping

#### **Terminal Type:**

Tab, solder lug single mating end single contact grouping

#### Included Contact Quantity:

36 single mating end single contact grouping

## Included Contact Type:

Round pin single mating end single contact grouping

# **Precious Material And Location:**

Contact surfaces gold

#### **Precious Material And Weight:**

0.036 gold grains, troy

# NSN 5935-01-015-3046

Electrical Receptacle Connector - Page 2 of 2



## **Precious Material:**

Gold

# Test Data Document:

81349-mil-c-55302 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Specification Data:**

81349-mil-c-55302/57 government specification

Shelf Life: N/a Unit Of Measure: --Demilitarization: No Fiig: A039b0 Mil-std (military Standard): Mil-g-45204 spec.