NSN 5935-01-016-1986

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-016-1986 **Body Style:** Straight shape **Overall Length:** 0.954 inches **Overall Height:** 3.110 inches **Overall Width:** 2.000 inches Center To Center Distance Between Mounting Facilities Parallel To Height: 2.783 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.437 inches **Distance From Mounting Shoulder To Front Face:** 0.766 inches **Mating End Quantity: Contact Position Arrangement Style:** 67 2nd mating end **Contact Removability:** Removable all mating ends all contact groupings **Contact Maximum Current Rating In Amps:** 7.5 2nd mating end 2nd contact grouping **Polarization Method:** 2 polarization posts Shell Type: Solid **Terminal Location:** Back all mating ends all contact groupings **Contact Material:** Copper alloy all mating ends all contact groupings **Contact Surface Treatment:** Gold all mating ends all contact groupings and silver all mating ends all contact groupings **Insert Material:** Plastic diallyl phthalate all mating ends **Terminal Type:** Crimp all mating ends all contact groupings **Shell Material:** Aluminum alloy

Shell Surface Treatment:

Cadmium and chromate

Included Contact Type:

Round socket all mating ends all contact groupings

NSN 5935-01-016-1986

Electrical Receptacle Connector - Page 2 of 2



Special Features:
Polarized at position no. 25
Precious Material And Location:
Contact surfaces gold and contact surfaces silver
Precious Material And Weight:
$0.124\ gold\ grains,\ troy\ and\ 0.124\ silver\ grains,\ troy$
Precious Material:
Gold and silver
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A039b0