NSN 5935-01-016-2458

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-016-2458

view Online at https://aerobasegroup.com/nsn/5935-01-016-2456
Body Style:
Straight shape
Overall Length:
Between 2.620 inches and 2.650 inches
Overall Height:
0.683 inches
Overall Width:
Between 0.590 inches and 0.620 inches
Unthreaded Mounting Hole Diameter:
0.120 inches
Distance Between Mounting Facility Centers:
Between 2.401 inches and 2.411 inches
Mating End Quantity:
1
Contact Position Arrangement Style:
24w7 single mating end
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
5.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end
Terminal Type:
Solder well single mating end single contact grouping
Shell Material:
Copper alloy
Shell Surface Treatment:
Cadmium and chromate

Insert Material Specification:

Mil-m-19833 type gdi-30f military specification single material response single mating end

Included Contact Quantity:

17 single mating end single contact grouping

NSN 5935-01-016-2458

Electrical Receptacle Connector - Page 2 of 2



ncluded	Contact	Type:
---------	---------	-------

Round pin single mating end single contact grouping

Precious Material And Location:

Contact surfaces gold and contact surfaces silver

Precious Material And Weight:

0.017 gold grains, troy and 0.017 silver grains, troy

Precious Material:

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A039b0

Mil-std (military Standard):

Mil-m-19833 spec.