## NSN 5935-01-016-7048

Telephone Jack - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-016-7048 **Thread Direction:** Right-hand **Electrical Insulation Feature:** Insulated completely **Body Style:** Threaded bushing mounted long frame **Overall Length:** 2.563 inches **Overall Height:** 0.656 inches **Mounting Hole Diameter:** 0.099 inches **Mounting Bushing Length:** 0.375 inches **Body Width:** 0.281 inches **Bushing Accommodation Hole Shape:** Round **Accommodated Finger Type:** Three conductor, slender spherical tip single finger **Finger Accommodation Diameter:** 0.173 inches single finger **Finger Accommodation Length:** 0.859 inches single finger **Bushing Thru-hole Accommodation Diameter:** 0.175 inches **Jack Contact Arrangement Designator: Mounting Facility Type And Quantity:** 1 bushing **Thread Size:** 0.099 inches **Terminal Type:** Tab, solder lug Material: Copper alloy contact **Surface Treatment:** 

Material: Plastic insulator Tin terminal **Surface Treatment:** 

Tin terminal

## NSN 5935-01-016-7048

Telephone Jack - Page 2 of 2



## **Test Data Document:**

81349-mil-j-641 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:
Unc
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A03400