NSN 5935-01-017-5910

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-017-5910 **Body Style:** Right angle, card **Overall Length:** 1.200 inches **Overall Width:** 0.350 inches **Body Height:** 0.260 inches **Environmental Protection:** Moisture proof and thermal shock resistant and vibration resistant and salt water resistant **Mating End Quantity: Contact Removability:** Nonremovable single mating end single contact grouping **Contact Maximum Current Rating In Amps:** 3.0 single mating end single contact grouping **Contact Maximum Ac Voltage Rating In Volts:** 300.0 single mating end single contact grouping **Polarization Method:** Guide pin/socket **Terminal Location:** Side single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Terminal Type:** Pin single mating end single contact grouping **Contact Material Specification:** Qq-c-530 federal specification single material response single mating end single contact grouping **Insert Material Specification:** Mil-m-14, type sdg-f military specification single material response single mating end **Included Contact Quantity:** 25 single mating end single contact grouping **Included Contact Type:** Round pin single mating end single contact grouping **Special Features:** Hollow rivet mounting Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

No

NSN 5935-01-017-5910

Electrical Receptacle Connector - Page 2 of 2



Fiig:

A039b0

Mil-std (military Standard):

Mil-m-14 spec.