Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-021-2334

Thread Class:
2a
Thread Direction:
Right-hand
Body Style:
Straight shape w/cable clamp
Overall Length:
1.375 inches
Overall Height:
1.000 inches
Overall Width:
1.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
0.718 inches
<b>Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:</b> 0.718 inches
Cable Entrance Diameter:
Between 0.219 inches and 0.221 inches
Distance From Mounting Shoulder To Front Face:
0.781 inches
Threaded Device Type:
Coupling facility
Mating End Quantity:
1
Contact Position Arrangement Style:
C single mating end
Contact Removability:
Removable single mating end single contact grouping
Shell Type:
Solid
Connector Locking Method:
Externally threaded shell
Connector Cable Strain Relief Method:
Compression nut
Thready Qty Per Inch (tpi):
24
Thread Size:
0.688 inches
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping



#### **Insert Material:**

Plastic tetrafluoroethylene single mating end

#### **Terminal Type:**

Crimp single mating end single contact grouping

# Shell Material:

Stainless steel

## Included Contact Quantity:

1 single mating end single contact grouping

### Included Contact Type:

Coaxial pin single mating end single contact grouping

### **Thread Series Designator:**

Unef

# Shelf Life:

N/a

#### Unit Of Measure:

--

# Demilitarization:

No

# Fiig:

A039b0