NSN 5935-01-022-2805

Electrical Receptacle Connector - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5935-01-022-2805

Body Style:
Straight shape
Overall Length:
30.090 millimeters
Overall Height:
9.420 millimeters
Overall Width:
5.460 millimeters
Environmental Protection:
Heat resistant and shock resistant and solvent resistant and vibration resistant and salt water resistant
Unthreaded Mounting Hole Diameter:
Between 2.26 millimeters and 2.39 millimeters
Distance Between Mounting Facility Centers:
24.510 millimeters
Mating End Quantity:
1
Contact Removability:
Nonremovable single mating end single contact grouping
Contact Maximum Current Rating In Amps:
3.0 single mating end single contact grouping
Contact Maximum Ac Voltage Rating In Volts:
900.0 single mating end single contact grouping
Polarization Method:
Mating end
Shell Type:
Solid
Connector Locking Method:
Friction
Terminal Location:
Back single mating end single contact grouping
Contact Material:
Copper alloy single mating end single contact grouping
Contact Surface Treatment:
Gold single mating end single contact grouping and silver single mating end single contact grouping
Insert Material:
Plastic diallyl phthalate single mating end and glass fiber single mating end
Terminal Type:
Crimp single mating end single contact grouping
Shell Material:
Plastic diallyl phthalate and glass fiber
Included Contact Quantity:

included contact quantity.

25 single mating end single contact grouping

NSN 5935-01-022-2805

Electrical Receptacle Connector - Page 2 of 2



Included Contact Type

Round socket single mating end single contact grouping

Precious Material And Location:

Contact surface gold and contact surface silver

Precious Material:

Gold and silver

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A039b0