Electrical Plug Connector - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5935-01-023-9782

Thread Class: 2b **Thread Direction: Right-hand Body Style:** Straight shape, internal coupling **Overall Length:** 1.290 inches **Overall Diameter:** 0.312 inches **Environmental Protection:** Salt water resistant and shock proof and vibration resistant **Cable Entrance Diameter:** 0.275 inches **Threaded Device Type:** Coupling facility **Mating End Quantity:** 1 **Contact Position Arrangement Style:** Nonstd single mating end **Contact Removability:** Nonremovable single mating end single contact grouping Shell Type: Solid **Connector Locking Method:** Internally threaded coupling ring **Connector Cable Strain Relief Method:** Compression nut Radio Frequency Type Contact Characteristic Impedance In Ohms: 50.0 single mating end single contact grouping Thready Qty Per Inch (tpi): 36 **Thread Size:** 0.250 inches **Terminal Location:** Back single mating end single contact grouping **Contact Material:** Copper alloy single mating end single contact grouping **Contact Surface Treatment:** Gold single mating end single contact grouping **Insert Material:** Plastic single mating end

NSN 5935-01-023-9782

Electrical Plug Connector - Page 2 of 2



Terminal Type: Solder well single mating end single contact grouping **Shell Material:** Aluminum alloy **Included Contact Quantity:** 1 single mating end single contact grouping Included Contact Type: Coaxial pin single mating end single contact grouping **Precious Material And Location:** Contact surfaces gold **Precious Material And Weight:** 0.005 gold grains, troy **Precious Material:** Gold **Thread Series Designator:** Uns Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: A039b0