Electrical Connector Backshell - Page 1 of 2



environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

View Online at https://aerobasegroup.com/nsn/5935-01-025-9266

view Online at https://aerobasegroup.com/hsi//3933-01-023-9200
Thread Class:
2b and 2a
Thread Direction:
Right-hand and right-hand
Seal Material:
Rubber, silicone base
Furnished Items:
Clamp
Overall Length:
Any acceptable
Overall Height:
Any acceptable
Overall Width:
2.469 inches
Body Angle In Deg:
45.0
Cable Opening Diameter:
Between 0.562 inches and 0.937 inches
Cable Opening Quantity:
1
Seal Type:
Grommet and preformed packing
Size Designation:
36
Mounting Facility Type And Quantity:
2 threaded coupling
Thready Qty Per Inch (tpi):
16 and 18
Thread Size:
2.250 inches and 1.438 inches
Material:
Aluminum alloy
Surface Treatment:
Cadmium
Style Designator:
Angle type
Surface Treatment:
Cadmium
Test Data Document:
81349-mil-c-5015 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

**Thread Series Designator:** 

Un and unef



## **Specification Data:**

96906-ms3189 government standard

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A10100

## Mil-std (military Standard):

Mil-c-5015 spec.